

CLAIMS

We claim:

1. A method for input of events to a network operatively connected to a
5 public data network communication system and subsequent event notification to at
least one mobile handset, comprising the steps of:

detecting an occurrence of an event on a public data network communication
system;

10

automatically creating an SMS message; and

automatically delivering the SMS message to a designated mobile handset.

15 2. The method according to claim 1, wherein the method further
comprises: inputting to the network a computer generated message that is related to
the event; and converting the computer generated message to the SMS message.

3. The method according to claim 2, wherein the method further
20 comprises: recognizing, by the network, that the computer generated message is
related to an event; and accepting, by the network, the event as an input to the
network.

4. The method according to claim 2, wherein, upon inputting of the
25 computer generated message that is related to an event, the network automatically

converts the computer generated message to a notification message in SMS form and automatically delivers the notification message in SMS form to the designated mobile handset.

5 5. The method according to claim 2, wherein the event comprises: an information part; and a designation part that designates a mobile handset.

6. The method according to claim 5, wherein, upon inputting of the computer generated message that is related to an event, the network automatically
10 checks the designation part for a valid mobile handset designation, and, if the mobile handset designation is valid, checks the information part for a valid event format.

7. The method according to claim 5, wherein, upon inputting of the computer generated message, the network automatically checks the designation part
15 for a valid mobile handset designation.

8. The method according to claim 5, wherein, upon inputting of the computer generated message, the network automatically checks the information part for a valid event format.

9. A method for input of events and subsequent event notification to at least one mobile handset, comprising the steps of:

inputting to a network a computer generated message that is related to an
5 event;

converting the computer generated message to a notification message in SMS form; and

10 automatically sending the notification message in SMS form from the network to at least one mobile handset.

10. The method according to claim 9, wherein the method further comprises: recognizing, by the network, that the computer generated message is
15 related to an event; and accepting, by the network, the event as an input to the network.

11. The method according to claim 9, wherein the event comprises: an information part; and a designation part that designates a mobile handset.

20

12. The method according to claim 11, wherein, upon inputting of the computer generated message that is related to an event, the network automatically checks the designation part for a valid mobile handset designation, and, if the mobile handset designation is valid, checks the information part for a valid event format.

25

13. The method according to claim 11, wherein, upon inputting of the computer generated message, the network automatically checks the designation part for a valid mobile handset designation.

5 14. The method according to claim 11, wherein, upon inputting of the computer generated message, the network automatically checks the information part for a valid event format.

10 15. The method according to claim 9, wherein, after inputting of the computer generated message that is related to an event, the network automatically converts the computer generated message to a notification message in SMS form and automatically delivers the notification message in SMS form to the designated mobile handset.

16. A system for input of events and subsequent event notification to at least one mobile handset, comprising:

- a network operatively connected to at least a public data network
- 5 communication system and to at least one mobile handset;
- the network having an input module operatively connected to the public data network communication system;
- 10 the network having a conversion module operatively connected to the input module; and
- the network having a communication module operatively connected to the conversion module and to the at least one mobile handset;
- 15 wherein when a computer generated message, which is related to an event, is inputted from the public data network communication system, the computer generated message is converted to a notification message in SMS form, and the notification message is automatically sent in SMS form from the network to the at least one
- 20 mobile handset.

17. The system according to claim 16, wherein the input module has a recognition module for recognizing that the computer generated message is related to an event; and an accepting module for accepting the event as an input to the network.

18. The system according to claim 16, wherein the event comprises: an information part; and a designation part that designates a mobile handset.

19. The system according to claim 18, wherein the designation part of the
5 event is representative of a mobile handset designation, and wherein the information part of the event is representative of a valid event format.

20. The system according to claim 16, wherein, after inputting of the computer generated message that is related to an event, the network automatically
10 converts the computer generated message to a notification message in SMS form and automatically delivers the notification message in SMS form to the designated mobile handset.